



FRONT VIEW



INSIDE VIEW



INPUT POWER
TERMINAL BLOCK

OPTIONAL
CIRCUIT BREAKER

REV.	DATE	BY	ECN/CR. NO.
A	2/1/06	REH	
B	8/3/06	JCL	
C	11/15/06	REH	
D	12/22/06	REH	
E	6/25/08	AVR	

DR.	BY	REH/ACI	CHK.	BY	JCL/ACI	ENG.	JFH/ACI	DWG.	95D01563 -	NEXT	1	SH.	1
DATE		11/21/05	DATE		02/17/06	DATE	11/21/05	NO.		SH.	1	IND.	1

Rockwell Automation

THIS DRAWING IS THE PROPERTY OF ROCKWELL AUTOMATION, INC. OR ITS SUBSIDIARIES AND MAY NOT BE COPIED, USED OR DISCLOSED FOR ANY PURPOSE EXCEPT AS AUTHORIZED IN WRITING BY ROCKWELL AUTOMATION, INC.

TITLE: LAYOUT DRAWING, PF400 FRAME E
 STYLE: B, 40-50HP @ 208VAC, 75-100HP @ 480VAC
 NEMA 12

DATE	BY	APPROVAL
	DESIGN REVIEW	
	FDR MANUFACTURING	
	AS SHIPPED	
	AS COMMISSIONED	

REV.	DATE	BY	ECN/CR. NO.
A	2/1/06	REH	
B	8/3/06	JCL	
C	11/15/06	REH	
D	12/22/06	REH	
E	6/25/08	AVR	

DR.	BY	REH/ACI	CHK.	BY	JCL/ACI	ENG.	JFH/ACI	DWG.	95D01563 -	NEXT	1	SH.	1
DATE		11/21/05	DATE		02/17/06	DATE	11/21/05	NO.		SH.	1	IND.	1

Rockwell Automation

THIS DRAWING IS THE PROPERTY OF ROCKWELL AUTOMATION, INC. OR ITS SUBSIDIARIES AND MAY NOT BE COPIED, USED OR DISCLOSED FOR ANY PURPOSE EXCEPT AS AUTHORIZED IN WRITING BY ROCKWELL AUTOMATION, INC.

TITLE: LAYOUT DRAWING, PF400 FRAME E
 STYLE: B, 40-50HP @ 208VAC, 75-100HP @ 480VAC
 NEMA 12