

Accessories

FOR DIRECT COUPLED ACTUATORS

ACCESSORIES

Compatibility Chart		SPRING RETURN								NON-SPRING RETURN						
		MSxx03A, MSxx05A *	MSxx10A	MSxx20A	MLxx75	MLxx85	MLxx95	ML41x5, ML81x5	MSxx09F	MSxx20F	MLxx61, MLxx74	MNxx05, MNxx10	MNxx20A	MNxx34A	MLxx84	MLxx94
ACTUATOR ACCESSORIES																
Control, Positioning, Feedback																
SW2-US	Auxiliary Switch (2 SPDT)		•	•								•	•	•		
32003532-005	High Temperature Auxiliary Switch (2 SPDT)							•	•							
200976C	Feedback Potentiometer (2000 ohm)										•					
200976A	Feedback Potentiometer (500 ohm)										•					
205860	Minimum Position Potentiometer	•	•	•	•	•	•				•	•	•	•	•	•
32006306-001	Resistor Kit (500 ohm); converts 4-20 mA signal to 2-10 Vdc	•	•	•	•	•	•				•				•	•
Q7002B1009	Universal Interface Module (Enclosed)	•	•	•	•	•	•				•	•	•	•	•	•
Mounting																
32007205-001	Actuator Mounting Plate	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32007205-002	Damper Blade Drive Lever (<24 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32007205-003	Damper Blade Drive Lever (>24 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32007205-004	Damper External Drive Pin Clip	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32007205-005	Damper External Drive Pin Kit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32007205-008	Damper Axle Coupler	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32007205-009	Crank Arm (1 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
50001194-001	Foot Mounting Kit	•	•	•	•	•	•					•	•	•	•	•
205649	Mounting Bracket							•	•	•						
205784	Mounting Bracket				•	•										
50006427-001	Flexible Anti-rotation Bracket		•	•						•			•	•		
50000407-001	Tandem Mounting Kit		•	•									•	•		
STRN-BRKT	Anti-rotation Bracket	•														
STRN-CRK-01	Crank Arm Kit	•														
STRN-ECONO-01	Economizer Retrofit Kit	•														
STRN-WMK-01	Wall Mount Kit	•														
Rotation Limiters, Position Indicators																
4074ENJ	Stroke Stop/Minimum Position Kit											•				
4074ENY	Stroke Stop Kit											•				



Compatibility Chart		SPRING RETURN								NON-SPRING RETURN						
		MSxx03A, MSxx05A*	MSxx10A	MSxx20A	MLxx75	MLxx85	MLxx95	ML41x5, ML81x5	MSxx09F	MSxx20F	MLxx61, MLxx74	MNxx05, MNxx10	MNxx20A	MNxx34A	MLxx84	MLxx94
ACTUATOR ACCESSORIES																
Ball Joints, Push Rods																
103598	Ball Joint (1/4 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27518	Ball Joint (5/16 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520Q	Push Rod (5/16 in. dia., 8 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520B	Push Rod (5/16 in. dia., 10 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520C	Push Rod (5/16 in. dia., 12 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520E	Push Rod (5/16 in. dia., 18 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520G	Push Rod (5/16 in. dia., 24 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520K	Push Rod (5/16 in. dia., 36 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27520L	Push Rod (5/16 in. dia., 48 in. length)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Crankarms																
205685	Crank Arm Kit														•	
205846	Crank Arm Kit															•
26026G	Damper Crank Arm, 1/2 in. damper shaft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
205830A	Rotary-to-Linear Kit				•	•					•					
205870	Shaft Adapter 1 in. with Crank Arm				•	•										
STRN-CA-01	Non-Self-centering Crank Arm	•														
STRN-CA-02	Self-centering Crank Arm	•														
Shaft Adapters																
205849A	Hub Insert 5/8 in.															•
32003167-001	Shaft Adapter (3/8 in.)										•					
32003168-001	Short Shaft Adapter (3/4-1/2 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32003168-002	Short Shaft Adapter (5/8-1/2 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32003168-003	Short Shaft Adapter (9/16-1/2 in.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
32004254-003	Self Centering Shaft Adapter											•	•			
32004254-002	Self Centering Shaft Adapter		•	•												
32004254-001	Self Centering Shaft Adapter											•		•		
4074EVK	Short Shaft Kit										•					
STRN-SCSA	Self-centering Shaft Adapter	•														
Enclosures																
32003036-001	Weather Enclosure	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
50005859-001	NEMA 4 Enclosure	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7640QW	Metal Enclosure										•					
Miscellaneous																
32000085-001	Strain Relief Fitting (10 pack)	•	•	•								•	•	•		
AT120A1004	120 to 24 Vac Transformer (20 VA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
AT140A1000	120 to 24 Vac Transformer (40 VA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
STRN-STRNRLF	Strain Relief Fitting (10 pack)	•														

*The MS4105A1002, MS7505A2008, and MS8105A1008 models are no longer available. Please refer to the MSxx03/MSxx05 column and current model numbers.

Table 1. Accessory Details.



OS Number	Description	Used With		Instructions (Form Number)
Control, Positioning, Feedback				
SW2-US	Auxiliary Switch Package (2 adjustable SPDT switches)	MSxx10 and MSxx20, MNxx20 and MNxx34 Series actuators		62-0259
32003532-005	High Temperature Dual Switch Assembly	ML4105, ML8105 ML4115, ML8115 ML4125, ML8125 ML4135, ML8135 MS4209, MS4309 MS4709, MS4809 MS8209, MS8309		62-0212
200976C	Auxiliary Feedback Potentiometer (0 to 2000 ohm)	ML6161, ML6174, ML7161, ML7174		63-2249
200976A	Auxiliary Feedback Potentiometer (0 to 500 ohm)			
205860	Electronic Remote Minimum Position Potentiometer	Modulating 0/2-10 Vdc Control Input Actuators		63-2529
32006306-001	Resistor Kit (500 ohm); converts 4-20 mA signal to 2-10 Vdc Bag of six (6)	Modulating 0/2-10 Vdc Control Input Actuators		
Q7002B1009	Universal Interface Module (Enclosed) with adjustable zero and span	All Actuators		63-2551
Mounting				
32007205-001	Direct Coupled Actuator Mounting Bracket	Damper with External Actuator Mounting (i.e., 32007205-005 Kit)		62-0196
32007205-002	Damper Blade Drive Lever (Small)	Dampers less than 24 in. high		62-0196

Table 1. Accessory Details. (Continued)




OS Number	Description	Used With		Instructions (Form Number)
32007205-003	Damper Blade Drive Lever (Large)	Dampers greater than 24 in. high		62-0196
32007205-004	Retaining Clip, Damper External Drive Pin	Damper with External Actuator Mounting (i.e., 32007205-005 Kit)		62-0196
32007205-005	Damper External Drive Pin Kit - drive pin clip (32007205-004) - shaft extension - mounting bracket	Damper with External Actuator Mounting (i.e., 32007205-005 Kit)		62-0196
32007205-008	Damper Axle Coupler	D1, D2, D3 Dampers		
32007205-009	Crank Arm (1 in.)	All Actuators and Dampers		
50001194-001	Foot- or Frame-Mounting Kit - self-tapping mounting screws (2) - foot mount bracket - bronze bearings (2) - crank arm and drive shaft - shaft collar (balljoints and pushrod sold separately)	MSxx10, MSxx20, MSxx20F, MNxx20, MNxx34 Series Actuators		62-0204
205649	Mounting Bracket	ML41x5F, ML81x5, MSxx09F Actuators		
205784	Mounting Bracket	25 and 53 lb-in. SR Actuators (ML Series)		
50006427-001	Flexible Anti-rotation Bracket	MSxx10, MSxx20, MSxx20F, MNxx20, MNxx34 Series Actuators		
50000407-001	Tandem Mounting Kit - bracket - swivel arm, bolt, nut, washer - mounting arms for spring return DCA (2) - anti-rotation bolts (2) - mounting arms for non-spring return DCA (2)	MSxx10, MSxx20, MSxx20F, MNxx20, MNxx34 Series Actuators		62-0205

Table 1. Accessory Details. (Continued)

OS Number	Description	Used With		Instructions (Form Number)
STRN-BRKT	Anti-rotation Bracket for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators	A long, narrow metal bracket with a series of holes along its length and a circular feature at one end.	62-0302
STRN-CRK-01	Crank arm kit for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators	A diagram showing a crank arm being attached to the side of an actuator housing.	62-0302
STRN-ECONO-01	Economizer Retrofit Kit for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators	A diagram showing a retrofit kit being installed on an actuator. A label points to the back of the bracket: "CLINCH NUTS PRE ATTACHED TO BACK OF BRACKET".	62-0302
STRN-WMK-01	Wall mount kit for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators	A diagram showing a wall mount bracket being attached to the back of an actuator. A label points to the back of the bracket: "CLINCH NUTS PRE ATTACHED TO BACK OF BRACKET".	62-0302
Rotation Limiters, Position Indicators				
4074ENJ	Minimum Position Kit	ML6161, ML6174, ML7161, ML7174	A collection of small metal parts including a bracket, a pin, and a nut.	
4074ENY	3/8 in. Shaft Kit	ML6161, ML6174, ML7161, ML7174	A single L-shaped metal bracket.	

Table 1. Accessory Details. (Continued)



OS Number	Description	Used With		Instructions (Form Number)
Ball Joints, Push Rods				
103598	Ball Joint (1/4 in.)	All Actuators and Dampers		
27518	Ball Joint (5/16 in.)	All Actuators and Dampers		
27520Q	Push Rod (5/16 in. dia., 8 in. length)	All Actuators and Dampers		
27520B	Push Rod (5/16 in. dia., 10 in. length)	All Actuators and Dampers		
27520C	Push Rod (5/16 in. dia., 12 in. length)	All Actuators and Dampers		
27520E	Push Rod (5/16 in. dia., 18 in. length)	All Actuators and Dampers		
27520G	Push Rod (5/16 in. dia., 24 in. length)	All Actuators and Dampers		
27520K	Push Rod (5/16 in. dia., 36 in. length)	All Actuators and Dampers		
27520L	Push Rod (5/16 in. dia., 48 in. length)	All Actuators and Dampers		
Crankarms				
205685	Crank Arm Kit	150 lb-in. NSR Actuators (ML Series)		
205846	Crank Arm Kit	300 lb-in. NSR Actuators (ML Series)		
26026G	Damper Crank Arm, 1/2 in. damper shaft	All Actuators and Dampers		
205830A	Rotary-to-Linear Kit: • crankarm • balljoints (2) • nuts (2)	35 and 70 lb-in. NSR and 25, 44, 53, and 88 lb-in. SR Actuators		63-2501
205870	Shaft Adapter, 1 in. with Crank Arm • hub insert • crankarm • retainer clip • actuator hub	25 and 53 lb-in. SR Actuators (ML Series)		63-2532

Table 1. Accessory Details. (Continued)






OS Number	Description	Used With		Instructions (Form Number)
STRN-CA-01	Non Self-centering Crank Arm for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators		62-0302
STRN-CA-02	Self-centering Crank Arm for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators		62-0302
Shaft Adapters				
205849A	Hub Insert, 5/8 in. (17mm) Round	300 lb-in. NSR Actuators (ML Series)		
32003167-001	3/8 in. Shaft Adapter	ML6161, ML6174, ML7161, ML7174, ML7999		66-1121
32003168-001	Short Shaft Adapter (3/4 in. to 1/2 in.)	All Actuators and Dampers		
32003168-002	Short Shaft Adapter (5/8 in. to 1/2 in.)			
32003168-003	Short Shaft Adapter (9/16 in. to 1/2 in.)			
32004254-003	Self-Centering Shaft Adapter	MNxx34 Series Actuators		
32004254-002	Self-Centering Shaft Adapter	MSxx10, MSxx20 Series Actuators		
32004254-001	Self-Centering Shaft Adapter	MNxx20 Series Actuators		
4074EVK	Short Shaft Kit	ML6161, ML7161, ML6174, ML7174		
STRN-SCSA	Self-centering Shaft Adapter for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators		62-0302

Table 1. Accessory Details. (Continued)

OS Number	Description	Used With		Instructions (Form Number)
Enclosures				
32003036-001	Weather Enclosure - enclosure - gasket - dome plug (2) - pan-head screw (10)	All Actuators		62-0164
50005859-001	NEMA 4 Enclosure	MS and MN Series; MLxx61 and MLxx74 Series Actuators		
7640QW	Enclosure for Conduit Connection	ML6161, ML6174, ML7161, ML7174		63-2252
Miscellaneous				
32000085-001	Strain Relief Fitting (10 pack)	MS and MN Series Actuators		
AT120A1004	120 to 24 Vac Transformer (20 VA)	All Actuators		68-0054
AT140A1000	120 to 24 Vac Transformer (40 VA)			
STRN-STRNRLF	Strain Relief Fitting for MSxx03 and MSxx05 Series Actuators	MSxx03 and MSxx05 Series Actuators		62-0302

Automation and Control Solutions

Honeywell International Inc.
1985 Douglas Drive North
Golden Valley, MN 55422
customer.honeywell.com

Honeywell

© U.S. Registered Trademark
© 2013 Honeywell International Inc.
63-2620—01 M.S. Rev. 01-13
Printed in United States