



(E 0102


Model Number

SJ2-SN-Y38288


Features

· 2 mm slot width

Connection



Dimensions



Techmical Data		
General specifications		
Switching element function		NAMUR NC
Slot width		2 mm
Depth of immersion (lateral)		5 7 typ. 6 mm
Installation		
Output polarity		Safety Function
Nominal ratings		
Nominal voltage	U_{o}	8 V
Operating voltage	U_B	5 25 V
Switching frequency	f	0 5000 Hz
Current consumption		
Measuring plate not detected		≥ 3 mA
Measuring plate detected		≤ 1 mA
Standard conformity		
EMC in accordance with		IEC / EN 60947-5-2:2004
Standards		DIN EN 60947-5-6 (NAMUR) VDE 660 Part 209
Ambient conditions		
Ambient temperature		-40 100 °C (233 373 K)
Mechanical specifications		
Connection type		125 mm, flexible lead LIFYW
Core cross-section		0.06 mm ²
Housing material		PBT
Protection degree		IP67
Note		adjustable stop
General information		
Use in the hazardous area		see instruction manuals
Category		2G

ATEX 2G

Instruction

Device category 2G

Directive conformity Standard conformity

CE symbol

Ex-identification

EC-Type Examination Certificate

Appropriate type

Effective internal capacitance Ci

Effective internal inductance Li

General

Highest permissible ambient temperature

Installation, Comissioning

Maintenance

[Fett]Special conditions

Protection from mechanical danger

Manual electrical apparatus for hazardous areas

for use in hazardous areas with gas, vapour and mist

94/9/EG

EN 50014:1997, EN 50020:1994 Ignition protection "Intrinsic safety" Use is restricted to the following stated conditions

C€0102

⟨Ex⟩ II 2G EEx ia IIC T6

PTB 00 ATEX 2049 X

SJ2-SN...

 \leq 30 nF; a cable length of 10 m is considered.

 $\leq 100~\mu H$; a cable length of 10 m is considered.

The apparatus has to be operated according to the appropriate data in the data sheet and in this instruction manual. The EC-Type Examination Certificate has to be observed. The special conditions must be adhered to!

The temperature ranges, according to temperature class, are given in the EC-Type Examination Certificate.

Laws and/or regulations and standards governing the use or intended usage goal must be observed. The intrinsic safety is only assured in connection with an appropriate related apparatus and according to the proof of intrinsic safety.

No changes can be made to apparatus, which are operated in hazardous areas. Repairs to these apparatus are not possible.

When used in the temperature range below -20°C the sensor should be protected from knocks by the provision of an additional housing.