



## Features

- · Cast Iron
- Installation in Zone 1, Zone 2, Zone 21 and Zone 22
- Threaded cable entries •
- Padlockable switch ٠
- Fuse breaking capacity 80kA ٠





Technical data	
Electrical specifications	
Operating voltage	380 440 V
Operating current	125 A (AC21A)
Power	45 kW (AC23A) 37 kW (AC3)
Safe clip fuse rating	125 A (XS)
Terminal capacity	70 mm <sup>2</sup>
Function	fused switch disconnector
Number of poles	4
Auxiliary contacts	2 x n/o early break
Lockable	in 'OFF' position
Labeling	OFF - ON
Fuse configuration	
Breaking capacity	80 kA
Mechanical specifications	
Height	335 mm NOM.
Width	310 mm NOM.
Depth	248 mm NOM.
Enclosure cover	hinged non-detachable
Cover fixing	M8 stainless steel socket cap head screws
Fastener grade	A2-70
Protection degree	IP66
Cable entry	metric threaded
Number of cable entries	2 x M40 in face B 1 x M20 in face B
Material	
Enclosure	cast iron
Finish	painted black

Release date 2013-01-16 12:57 Date of issue 2013-01-16 435908\_eng.xml

Subject to reasonable modifications due to technical advances. Pepperl+Fuchs Group • Tel.: Germany +49-621-776-0 • USA +1-330-4253555 • Singapore +65-67-799091 • Internet www.pepperl-fuchs.com

Seal	one piece closed cell neoprene
Mass	approx. 50 kg
Mounting	2 x fabricated stainless steel mounting straps
Grounding	internal & external brass grounding terminals on base and lid
Ambient conditions	
Ambient temperature	-40 55 °C (-40 131 °F)
Data for application in connection with Ex-	
areas	
EC-Type Examination Certificate	SIRA 04 ATEX 1266X
Group, category, type of protection, temperature class	<ul> <li>(€) II 2 GD</li> <li>Ex d IIB T6 Gb, Ex tb IIIC T76°C Db ( ta +50°C )</li> <li>Ex d IIB T5 Gb, Ex tb IIIC T82°C Db ( ta +55°C )</li> </ul>
International approvals	
IECEx approval	IECEx SIR 08.0056X
GOST-R approval	GOST-R B00218
Conformity	
Protection degree	EN 60529
Switch	switch disconnector to IEC 60947-3
Fuse holders	ASTA type test certified to BS 88: parts 1 & 6
General information	
Supplementary information	EC-Type Examination Certificate, Statement of Conformity, Declaration of Conformity, Attestation of Conformity and instructions have to be observed where applicable. For information see www.pepperl-fuchs.com.

Copyright Pepperl+Fuchs, Printed in Germany Pepperl+Fuchs Group • Tel.: Germany +49-621-776-0 • USA +1-330-4253555 • Singapore +65-67-799091 • Internet www.pepperl-fuchs.com